




ENERGY SYSTEMS

Solarico®

UniQube Drain Back Reservoir

Solar Draining Tank



UniQube Drain Back Reservoir

- **CONVERTS ANY SOLAR TANK TO DRAIN BACK TANK**
adding this reservoir to the solar thermal circuit this reservoir will convert your system into the drain back solar thermal system.
- **UTILIZES MAXIMUM OF SOLAR THERMAL HEAT EXCHANGER**
with drain back solar thermals you can install as much collector's power as solar heat exchanger can transfer.
- **UNIQUE PERFORMANCES**
this reservoir is produced according to our UniQube standards. Quboid shape, insulation thickness of UniQubes, flat connectors, perfect design.
- **EASY TO INSTALL**
Drain back reservoir can be installed on a simple table or on a wall, 650mm above the floor, if on the same floor is installed its UniQube solar tank.
- **LONG WARRANTY TERM**
this reservoir is warranted by 10 years.




Solar Draining Tank


40 LITER COMPACT DRAIN BACK RESERVOIR

Insulated with polyurethane, minimizing the heat loss in idle or stand by mode. Solar thermal loop, positioned above the tank, can reach volume up to 25 liters, which allows installation of bigger number of solar thermal panels.

NEW




UNIQUEST DRAIN BACK RESERVOIR		
D1 (diameter)	(mm)	600
Hd (height)	(mm)	450
H2 (height)	(mm)	140
a (width)	(mm)	734
connections M, N		5/4"
max. working pressure	(bar)	1,5
max. test pressure	(bar)	2,5
reservoir volume	(liters)	40
Approx. weight	(kg)	16




M - Solar in
N - Drain Back out


Idle



In Operation



UniQube
Heart of your System



UniQube Heart of your system



PRODUCTION FACILITY:
Euroterm d.o.o.
Lece Koteski 50
Industrial area Biljana,
7500 Prilep, R. N. Macedonia

email: info@solarico.eu; web: solarico.eu
mobile: +389 75 463 929; phone: +389 48 419 415; fax: +389 48 422 981